

- ARTIGOS e PUBLICAÇÕES:

1. de Carvalho MR, Dias TRS, Duchesne M, Nardi AE, Appolinario JC. Virtual Reality as a Promising Strategy in the Assessment and Treatment of Bulimia Nervosa and Binge Eating Disorder: A Systematic Review. *Behav Sci (Basel)*. 2017 Jul 9;7(3).
- 2: Leão Ferreira KA, Bastos TR, Andrade DC, Silva AM, Appolinario JC, Teixeira MJ, Latorre MD. Prevalence of chronic pain in a metropolitan area of a developing country: a population-based study. *Arq Neuropsiquiatr*. 2016 Dec;74(12):990-998.
- 3: Gattaz WF, Campos JA, Lacerda AL, Henna E, Ruschel SI, Bressan RA, de Oliveira IR, Rocha FL, Grabowski HM, Sacomani E Jr, Louzã MR, Quevedo J, Elkis H, Zorzetto Filho D, Périco Cde A, Lawson FL, Appolinário JC. Switching from oral risperidone to flexibly dosed oral paliperidone extended-release: core symptoms, satisfaction, and quality of life in patients with stable but symptomatic schizophrenia: the RISPALI study. *Curr Med Res Opin*. 2014 Apr;30(4):695-709
- 4: Duchesne M, de Oliveira Falcone EM, de Freitas SR, D'Augustin JF, Marinho V, Appolinario JC. Assessment of interpersonal skills in obese women with binge eating disorder. *J Health Psychol*. 2012 Oct;17(7):1065-75.
- 5: Papelbaum M, Moreira RO, Coutinho W, Kupfer R, Zagury L, Freitas S, Appolinário JC. Depression, glycemic control and type 2 diabetes. *Diabetol Metab Syndr*. 2011 Oct 7;3(1):26. doi: 10.1186/1758-5996-3-26.
- 6: Louzã MR, Elkis H, Ruschel S, de Oliveira IR, Bressan RA, Belmonte-de-Abreu P, Grabowski H, Appolinário JC. Long-acting injectable risperidone in partially adherent and nonadherent patients with schizophrenia. *Neuropsychiatr Dis Treat*. 2011;7:391-8. doi: 10.2147/NDT.S20589.
- 7: Duchesne M, Mattos P, Appolinário JC, de Freitas SR, Coutinho G, Santos C, Coutinho W. Assessment of executive functions in obese individuals with binge eating disorder. *Rev Bras Psiquiatr*. 2010 Dec;32(4):381-8.
- 8: James WP, Caterson ID, Coutinho W, Finer N, Van Gaal LF, Maggioni AP, Torp-Pedersen C, Sharma AM, Shepherd GM, Rode RA, Renz CL; SCOUT Investigators. Effect of sibutramine on cardiovascular outcomes in overweight and obese subjects. *N Engl J Med*. 2010 Sep 2;363(10):905-17.
- 9: Fandiño J, Moreira RO, Preissler C, Gaya CW, Papelbaum M, Coutinho WF, Appolinario JC. Impact of binge eating disorder in the psychopathological profile of obese women. *Compr Psychiatry*. 2010 Mar-Apr;51(2):110-4
- 10: Nazar BP, Pinna CM, Coutinho G, Segenreich D, Duchesne M, Appolinario JC, Mattos P. Review of literature of attention-deficit/hyperactivity disorder with comorbid eating disorders. *Rev Bras Psiquiatr*. 2008 Dec;30(4):384-9.

- 11: de Freitas SR, Appolinario JC, Souza Ade M, Sichieri R. Prevalence of binge eating and associated factors in a Brazilian probability sample of midlife women. *Int J Eat Disord.* 2008 Jul;41(5):471-8.
- 12: Stefano SC, Bacaltchuk J, Blay SL, Appolinário JC. Antidepressants in short-term treatment of binge eating disorder: systematic review and meta-analysis. *Eat Behav.* 2008 Apr;9(2):129-36.
- 13: Claudino AM, de Oliveira IR, Appolinario JC, Cordás TA, Duchesne M, Sichieri R, Bacaltchuk J. Double-blind, randomized, placebo-controlled trial of topiramate plus cognitive-behavior therapy in binge-eating disorder. *J Clin Psychiatry.* 2007 Sep;68(9):1324-32.
- 14: Duchesne M, Appolinario JC, Rangé BP, Fandiño J, Moya T, Freitas SR. The use of a manual-driven group cognitive behavior therapy in a Brazilian sample of obese individuals with binge-eating disorder. *Rev Bras Psiquiatr.* 2007 Mar;29(1):23-5.
- 15: Moreira RO, Marca KF, Appolinario JC, Coutinho WF. Increased waist circumference is associated with an increased prevalence of mood disorders and depressive symptoms in obese women. *Eat Weight Disord.* 2007 Mar;12(1):35-40.
- 16: Moreira RO, Papelbaum M, Fontenelle LF, Appolinario JC, Ellinger VC, Coutinho WF, Zagury L. Comorbidity of psychiatric disorders and symmetric distal polyneuropathy among type II diabetic outpatients. *Braz J Med Biol Res.* 2007 Feb;40(2):269-75.
- 17: Coutinho WF, Moreira RO, Spagnol C, Appolinario JC. Does binge eating disorder alter cortisol secretion in obese women? *Eat Behav.* 2007 Jan;8(1):59-64.
- 18: Freitas SR, Lopes CS, Appolinario JC, Coutinho W. The assessment of binge eating disorder in obese women: a comparison of the binge eating scale with the structured clinical interview for the DSM-IV. *Eat Behav.* 2006 Aug;7(3):282-9.
- 19: Nascimento AL, Appolinario JC, Segereich D, Cavalcanti MT, Brasil MA. Maintenance electroconvulsive therapy for recurrent refractory mania. *Bipolar Disord.* 2006 Jun;8(3):301-3.
- 20: Silveira RO, Zanatto V, Appolinário JC, Kapczinski F. An open trial of reboxetine in obese patients with binge eating disorder. *Eat Weight Disord.* 2005 Dec;10(4):e93-6.
- 21: Moreira RO, Castro AP, Papelbaum M, Appolinário JC, Ellinger VC, Coutinho WF, Zagury L. [Translation into Portuguese and assessment of the reliability of a scale for the diagnosis of diabetic distal polyneuropathy]. *Arq Bras Endocrinol Metabol.* 2005 Dec;49(6):944-50.
- 22: Siqueira KS, Appolinário JC, Sichieri R. Relationship between binge-eating episodes and self-perception of body weight in a nonclinical sample of five Brazilian cities. *Rev Bras Psiquiatr.* 2005 Dec;27(4):290-4.

- 23: Fontenelle LF, Mendlowicz MV, Moreira RO, Appolinario JC. An empirical comparison of atypical bulimia nervosa and binge eating disorder. *Braz J Med Biol Res.* 2005 Nov;38(11):1663-7.
- 24: Fandiño JN, Benchimol AK, Fandiño LN, Barroso FL, Coutinho WF, Appolinário JC. Eating avoidance disorder and Wernicke-Korsakoff syndrome following gastric bypass: an under-diagnosed association. *Obes Surg.* 2005 Sep;15(8):1207-10.
- 25: Corrêa LL, Platt MW, Carraro L, Moreira RO, Faria Júnior R, Godoy-Matos AF, Meirelles RM, Póvoa LC, Appolinário JC, Coutinho WF. [Evaluation of the sibutramine effect on satiety with a visual analogue scale in obese adolescents]. *Arq Bras Endocrinol Metabol.* 2005 Apr;49(2):286-90.
- 26: Papelbaum M, Appolinário JC, Moreira Rde O, Ellinger VC, Kupfer R, Coutinho WF. Prevalence of eating disorders and psychiatric comorbidity in a clinical sample of type 2 diabetes mellitus patients. *Rev Bras Psiquiatr.* 2005 Jun;27(2):135-8.
- 27: Siqueira KS, Appolinario JC, Sichieri R. Overweight, obesity, and binge eating in a non-clinical sample of five Brazilian cities. *Obes Res.* 2004 Dec;12(12):1921-4.
- 28: Godoy-Matos A, Carraro L, Vieira A, Oliveira J, Guedes EP, Mattos L, Rangel C, Moreira RO, Coutinho W, Appolinario JC. Treatment of obese adolescents with sibutramine: a randomized, double-blind, controlled study. *J Clin Endocrinol Metab.* 2005 Mar;90(3):1460-5.
- 29: Duchesne M, Mattos P, Fontenelle LF, Veiga H, Rizo L, Appolinario JC. [Neuropsychology of eating disorders: a systematic review of the literature]. *Rev Bras Psiquiatr.* 2004 Jun;26(2):107-17.
- 30: Appolinario JC. [Binge eating disorder: an emerging entity that responds to pharmacotherapy]. *Rev Bras Psiquiatr.* 2004 Jun;26(2):75-6.
- 31: Appolinario JC, Bueno JR, Coutinho W. Psychotropic drugs in the treatment of obesity: what promise? *CNS Drugs.* 2004;18(10):629-51.
- 32: Appolinario JC, McElroy SL. Pharmacological approaches in the treatment of binge eating disorder. *Curr Drug Targets.* 2004 Apr;5(3):301-7. Review.
- 33: Zagury L, Moreira RO, Guedes EP, Coutinho WF, Appolinario JC. Insulinoma misdiagnosed as dumping syndrome after bariatric surgery. *Obes Surg.* 2004 Jan;14(1):120-3.
- 34: Appolinario JC, Bacalchuk J, Sichieri R, Claudino AM, Godoy-Matos A, Morgan C, Zanella MT, Coutinho W. A randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder. *Arch Gen Psychiatry.* 2003 Nov;60(11):1109-16.

35: Fontenelle LF, Vítor Mendlowicz M, de Menezes GB, Papelbaum M, Freitas SR, Godoy-Matos A, Coutinho W, Appolinário JC. Psychiatric comorbidity in a Brazilian sample of patients with binge-eating disorder. *Psychiatry Res.* 2003 Jul 15;119(1-2):189-94.

36: Fontenelle LF, Mendlowicz MV, de Menezes GB, Appolinário JC, Marques C, Coutinho W, Godoy-Matos A, Versiani M. Comparison of symptom profiles of obese binge eaters, obese non-binge eaters, and patients with obsessive-compulsive disorder. *J Nerv Ment Dis.* 2002 Sep;190(9):643-6.

37: Appolinario JC, Fontenelle LF, Papelbaum M, Bueno JR, Coutinho W. Topiramate use in obese patients with binge eating disorder: an open study. *Can J Psychiatry.* 2002 Apr;47(3):271-3. PubMed PMID: 11987480.

38: Appolinario JC, Godoy-Matos A, Fontenelle LF, Carraro L, Cabral M, Vieira A, Coutinho W. An open-label trial of sibutramine in obese patients with binge-eating disorder. *J Clin Psychiatry.* 2002 Jan;63(1):28-30.

39: Appolinario JC, Coutinho W, Fontenelle L. Topiramate for binge-eating disorder. *Am J Psychiatry.* 2001 Jun;158(6):967-8.



The logo consists of the word "Appolinario" in a large, bold, sans-serif font. The letters are white and set against a light gray rectangular background. There are two thin horizontal lines underneath the letters, acting as a baseline.